TWO SALES * TWO LOCATIONS * ONE DAY LATE MODEL FABRICATING EQUIPMENT

Plus: Welders, Raw Material, Air Compressors, Overhead Cranes, Furniture & More!






WHITNEY 100 TON STRUCTURAL BEAM LINE

COAST IRON WORKS 3" TUBE BENDER

SALI #1 ON THE PREMISES OF:

Thompson Boze Inc. 1733 Lauder Rd., Houston, TX 9 A.M., TUESDAY, JULY 26

INSPECTION: Monday, July 25, 9 A.M-4 P.M.



CHICAGO D&K 90 TON x 12' PRESS BRAKE W/HURCO BACKGAUGE

WYSONG 1/4"x10' MECHANICAL SHEAR

SALE #2 AAA Precision
Fabricating
910 West 22nd St., Houston, TX

2 P.M.*, TUESDAY, JULY 26

*Starting Time Is Approximate as close as possible to 2 P.M., Tuesday, July 26

INSPECTION: Monday, July 25, 9 A.M-4 P.M.

Read Terms and Conditions on Back of this Brochure

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • LIQUIDATORS • APPRAISERS • REAL ESTATE BROKERS

Principal Auctioneer, Les Miles TXE-029-006915 Bob Braman • Ron Moore P.O. Box 24010, 1717 East Loop, Suite 300 Houston, TX 77229

In Association With



Other PMI Offices: Chicago • Dallas


SALE #1: 9 A.M. • TUESDAY, JULY 26

At the Premises: Thompson Boze Inc. 1733 Lauder Road, Houston, Texas


SALE #2: 2 P.M. • TUESDAY, JULY 26

At the Premises: AAA Precision Fabricating
910 W. 22nd Street, Houston, Texas

INSPECTION: Both sites may be inspected on Monday, July 25, 9 A.M.-4 P.M.




WHITNEY 100 TON STRUCTURAL BEAM LINE



COAST IRON WORKS 3" TUBE BENDER



STRIPPIT "NOTCH-RITE" HYDRAULIC NOTCHER



SCOTCHMAN 40 TON HYDRAULIC IRONWORKER

STRUCTURAL BEAM LINE

W.A. WHITNEY MDL. 790-722, new 1971, steel tape measuring, 100 ton web punch with 19" throat, pwr. elevation, cart base, (2) 100 ton flange punches with 5-1/2" throat, pwr. elevation, 10 H.P. hyd. system eqpd. with 40" w. x 33'-6" L. infeed conveyor, 40" W. x 72' L. exit conveyor with 10' W. cross-travelling exit conveyor, 7-1/2 H.P. hyd. system for conveyor, s/n 790-722-22429. (AM)

CONVEYOR SYSTEM

CUSTOM FABRICATED, new 1982, hyd. pwrd., infeed section with 13-1/2' L. cross-travelling entry section proceeding onto 42" w. x 55' L. pwrd. conveyor section, 38" W. x 60' L. pwrd. section, 10' W. cross travelling section, 42" W. x 55' L. exit conveyor. (AM)

TUBE BENDER

COAST IRON WORKS MDL. 3RDI HYDRAULIC, new 1986, 3" dia. x Sched. 80 cap., Dynapar prog. bending control, clockwise bending, pwr. clamping, mandrel extractor, 7-1/2 H.P. hyd. system, misc. die tooling, s/n 3RDI-86-270. (AM)

INITIAL PINCH ROLLS

PEXTO 16 GA. x 4' CAP., Mdl. 418-E, 3" dia. top roll, wire bending grooves, 3/4 H.P. vari-spd. drive, s/n 1/76. (PM)

DI-ACRO "SPARTAN ROLLER NO. 12" 16 GA. CAP., 12" width rolls, 2" top roll dia., drop end, manually operated rotation, s/n GH-5393. (PM)

HYDRAULIC NOTCHER

STRIPPIT "NOTCH-RITE", new 1979, 8-3/4"x8-3/4"x1/8" mild steel cap., 28"x42" gauging table, swivelling backgauges, 5-1/2 H.P. hyd. system, foot control, s/n 01933179. (PM)

HYDRAULIC IRONWORKER

SCOTCHMAN 40 TON, new 1984, Mdl. 4014C-OB, 6" throat depth punch station, 3"x3"x5/16" cap. angle shear, 14" L. flatbar shear with 1/2"x6" and 3/4"x10" mild steel cap., 3 H.P. hyd. system, s/n 1413U584. (PM)

MECHANICAL PUNCH

ROPER WHITNEY MDL. 230 C-FRAME TYPE, new 1973, 20 ton cap... 2" stroke, 1-3/4" ram adj., 7" die space, 18" throat, 9-3/4" ht. of throat, 12"x18" platen, max. spd.: 100 S.P.M., 2 H.P. motor, s/n 316-2-73. (PM)

TURRET PUNCH

DI-ACRO MDL. 18, new 1980, 4 ton cap., manually operated, 18 punch positions, 2" dia. max. punch size, 5/8" stroke, 19" throat, adj. sheet supports, s/n BE-1606. (PM)

PORTABLE STRUCTURAL PUNCH

WHITNEY 40 TON CAP., Mdl. 40, 3-1/2" throat, portable electric hyd. unit. (AM)

PANNIER PUNCH

ROOVERS MDL. T-20, manually operated, s/n H-201411. (AM)

ANGLE SHEAR

CUSTOM 6"x6"x1/2" CAP., new 1982, backgauge, 10 H.P. hyd. system, 3' W. staging rack, 40' L. entry conveyor, 13" W. x 20' L. exit conveyor. (AM)

BAR BENDER

PEDDINGHAUS MDL. PERFEKT 63, 2-1/2" dia. cap., hvd. operated, tooling, S/N 6T75. (AM)

CONVEYORIZED BELT SANDER

AEM 37", Mdl. 370-NB-2, new 1979, 37" belt width, 15 H.P. drive motor, 5-1/2" max. part thickness, 1/2 H.P. vari-spd. conveyor drive, spds.: 10-50 F.P.M., electronic belt tracking, s/n MO-2939, with 1/2 H.P. dust collector. (PM)

GRAIN SANDER

CUSTOM, 6" max. belt width, 3 H.P. motor, 24"x87" crosstravelling table, 90" max. clearance between housings. (PM)

BELT GRINDER

PORTER-CABLE TYPE G-8, 8" belt width, 5 H.P. motor, 8"x15" table, s/n 1538. (PM)

SANDERS

CRAFTSMAN, 6" belt width, 9" dia. disc. sanding attach., 1/3 H.P.

CRAFTSMAN 6", tilting platen, 1/3 H.P. motor. (PM)

MATERIAL INVENTORY

To be sold subject to confirmation of bids. Approximate 250 tons to be sold [AM] including:

STEEL PLATE: 1/4"-2" thick, various sizes.

ALUMINUM CHECKERED PLATE: 1/4", 5/16", 3/8", various sizes.

FLAT BAR: 1/8"x2-1/2" to 1"x8" ANGLES: 1"x1"x1/4" to 8"x6"x1"

WIDE FLANGE BEAMS: 4" x 13 lb./ft. to 33" x 118 lb./ft.

I-BEAMS: 3" x 5.7 lb./ft. to 18" x 70 lb./ft. CHANNELS: 3" x 4.1 lb./ft. to 15" x 33.9 lb./ft.

MISC. CHANNELS: 6" x 12 lb./ft. to 13" x 40 lb./ft. **TEES:** 5" x 11 lb./ft. to 8" x 25 lb./ft.

STRUCTURAL PIPE: 1" std. to 10" std.

SQ. TUBE: 3/4"x3/4" to 8"x12." RD. BAR: 1/2" to 1-1/4"

ALSO ALUMINUM STRUCTURAL SHAPES, EXPANDED

METAL. MUCH MUCH MORE!

HORIZONTAL BANDSAWS

W.F. WELLS & SONS MDL. B-25-2, new 1981, 25"x36" cap., 1-1/2" blade width, 5 H.P. blade drive, blade spds.: 75–500 F.P.M., pwr. arm elevation, clamping, blade tension, pwr. down feed, coolant, s/n B81190-A1539. (AM)

W.F. WELLS & SONS MDL. W-9 SERIES 1, new 1977, 9"x18" cap., 1" blade width, 1 H.P. blade drive, blade spds.: 60-300 F.P.M., pwr. arm december 1970

coolant, s/n 772633, eqpd. WELLS MDL. B-25-2 HZ. BANDSAW with 2'x26' & 2'x46' non-pwrd. conveyor sections. (AM)

CAROLINA TL. & EQUIP. 7"x14" CAP., 3/4" blade width, 1/3 H.P. motor. (PM)

KALAMAZOO 6"x11" CAP, Mdl. 610D, 1/2" blade width, 1/2 H.P. motor, s/n P9M159. (PM)

W.T., 4-1/2"x6" cap., 1/2" blade width, 1/3 H.P. motor, s/n 39830. (PM)

COLD SAWS

BEWO, new 1984, 13" blade cap., 1 H.P. motor, vise, swivel base for mitering, with misc. non-pwrd. conveyor sections. (AM)

MARATHON, new 1981, 12" blade cap., 1 H.P. motor, vise, swivel base for mitering, with misc. non-pwrd. conveyor sections. (AM)

ABRASIVE SAW

C.Y., Mdl. CH-K10, 12" dia. blade cap., 2 H.P. motor, vise. (PM)

TUBE NOTCHERS

VOGEL TOOL & DIE 10 TON CAP., new 1983, H-frame design, 1 H.P. hyd. system, with 1-1/2" dia. die. (AM)

VOGEL ARC-FIT, 1-1/2" cap., manually operated. (PM)


DRILL PRESSES

CINCINNATI BICKFORD 24" SUPER SERVICE H.D., rd. column, floor type, 4 MT spdl., 5 H.P. motor, spds.: 60–1,000 R.P.M., 10-1/2" stroke, pwr. feed, 11" throat, 30" max. distance spdl. to table, 22" dia. elevating table, s/n 2L-1495. (AM)

JET Mdl. JDP-125V3-3, new 1983, rd. column, floor type, 3 MT spdl., 2 H.P. motor, spds.: 150–2,000 R.P.M., 6-1/2" stroke, 10" throat, 15-1/2"x18" elevating table, s/n 71539D. (AM)

PLASMA CUTTING SYSTEM

THERMAL ARC MDL. PAK 10XR, new 1987, 100 amp output, 3/8" mild steel cap., air or CO₂ gas operation, s/n C60533A18351A. (AM)




AEM 37" CONVEYORIZED BELT SANDER



LINDE AND MILLER WELDING MACHINES



ERICO AND HOBART WELDING MACHINES



DI-ACRO MDL. 18 TURRET PUNCH

WELDING MACHINES (PM)

LINDE MDL. UCC-305, 300 amp AC/DC hi-freq. pwr. source with TIG torch and rheostat, Linde water cooling unit, s/n C84F-43714.

MILLER MDL. 330 A/BP, 300 amp AC/DC hi-freq. pwr. source with TIG torch and rheostat, Miller water cooling unit, s/n T456095.

MILLER MDL. CP-250TS, 250 amp DC pwr. source with Millermatic Mdl. S-52E wire feeder, s/n JB543808. (PM)

LINDE MDL. 225, 225 amp DC pwr. source with Linde Mdl. ST-23 spool gun, spot/stitch.cycle, p/n 679420. (PM)

(2) LINCOLN MDL. SA-200, 200 amp portable, gasoline driven. (PM) MILLER MDL. CP-200, 200 amp D.C. pwr. source with Millermatic Mdl. 10-E wire feeder, s/n HE804635. (PM)

(3) CHEMETRON HELIWELDERS, w/torch rigs.

WELDING POWER SOURCES (AM)

ERICO 600 AMP "BLUE ARC" STUD WELDER, new 1980, stud gun, s/n ESS-7395199. (AM)

(2) MILLER DELTAWELD 650 AMP D.C. PWR. SOURCES, new 1987 & 1986, with Miller dbl. wire feeders and jib booms. (AM)

AIRCO 650 AMP D.C. PWR. SOURCE. (AM)

(2) HOBART R-600-S, 600 amp D.C. pwr. sources. (AM)

AIRCO PHASE-ARC 550 AMP. D.C. PWR. SOURCES. (AM)

MILLER 500-S, 500 amp D.C. pwr. source. (AM)
HOBART MEGA-MIG 450 AMP D.C. PWR. SOURCE, with wire feed-

er & jib boom. (AM)
HOBART MEGA-ARC 400 AMP D.C. PWR. SOURCE. (AM)

LINCOLN R3S-400 AMP D.C. PWR. SOURCE, with wire feeder. (AM) AIRCO 400 AMP A.C. PWR. SOURCE. (AM)

HOBART 300 AMP D.C. PWR. SOURCE, with Miller wire feeder & jib boom. (AM)

AIRCO MDL. 3 DVR-24B 300 AMP D.C. PWR. SOURCE, with Airco wire feeder & jib boom. (AM)

(2) HOBART 300 AMP D.C. POWER SOURCES. (AM)
(13) MILLER THUNDERBOLT 225 AMP A.C. PWR. SOURCES. (AM)

OVERHEAD CRANES

LANDEL 10 TON x 65' SPAN, new 1981, top riding bridge with single main I-beam construction, dbl. 5 ton cap. underslung electric hoists with pwr. traverse & pendant control, s/n A2320. (AM)

(2) CUSTOM 5 TON X 36' SPAN, new 1975 & 1972, top riding bridge with dbl. main I-beam construction, underslung Robbins & Myers 5 ton electric hoist with pwr. traverse & pendant control. (AM)

(3) LANDEL 3 TON x 27' SPAN, new 1980 & 1979, underslung bridge with single main I-beam construction, underslung 3 ton electric hoist with pwr. traverse and pendant control, s/n A2115, s/n A1929, s/n A1930. (AM)

COLUMN MOUNTED JIB CRANES

(2) CUSTOM 2 TON x 20' REACH, with P&H 2 ton electric hoists. (AM)

(2) CUSTOM 1 TON x 20' REACH, with Yale 1 ton electric hoists. (AM)

AIR COMPRESSORS

(2) SULLAIR 25 H.P. SCREW TYPE, new 1983 & 1981, Mdl. 10B-25, intercooler, skid base, s/n 003-60510, s/n 003-55313. (AM)

CURTIS 10 H.P. x 2 STG. RECIPROCATING TYPE, with 60 gal. hz. receiver. (AM)

CAMPBELL HAUSFELD 10 H.P. x 2 CYL. 2 STG. RECIPROCATING TYPE, with 60 gal. hz. air receiver. (PM)

CAMPBELL HAUSFELD 2 H.P. x 2 STG. RECIPROCATING TYPE, with 40 gal. vert. air receiver. (PM)

FORKLIFT

CLARK 4,000 LB., Mdl. C500H40, LPG engine, solid tires, 130" lift, 42" forks, crash bar, s/n H355-238-2549. (PM)

FLATBED TRAILER

CUSTOM 95" W. x 42' L., long. adj. undercarriage, tandem axle, dual 9.50x16.5 LT tires each side, 5th wheel coupler, front lift dolly, ratchet tie downs. (PM)

MISCELLANEOUS SHOP &

MISC. SHOP & WAREHOUSE EQUIPMENT (AM)
GMC YARD TRACTOR, Detroit Diesel engine, 5th wheel

DODGE YARD TRACTOR, gasoline engine, 5th wheel

RIDGID MDL. 535 PIPE THREADER WITH TLNG. (AM)

PIPE BURNING COLLAR, 9" dia. cap., manual feed.

BALDOR 12" DBL. END H.D. BENCH GRINDER. (AM)

MUCH, MUCH MORE INCLUDING: WELDING LEADS, TORCH RIGS, WORK SUPPORTS, LETTER & NUMBER

STENCIL PUNCHES, GRACO PAINT PUMPS, FASTEN-

ERS, ENERPAC HYD. PUMP WITH RAM, TIME CLOCK, MATERIAL RACKS, 3/4" ELECTRIC DRILLS, MAGNET-

IC BASE DRILLS, WELDING TABLES, AIR CHIPPERS

LARGE QTY. STUDS FOR STUD WELDER. (AM)

PLUS OFFICE EQUIPMENT AND FURNITURE.

(2) COBRAMATIC WIRE FEEDERS. (AM)

coupler, sql. axle. (AM)

coupler, sgl. axle. (AM)

AIRCO TRACK TORCH. (AM)

& SCALERS, SHOP FANS, ETC.

WAREHOUSE EQUIPMENT (PM) BLAST CABINET

ZERO BLAST-N-PEEN, 3'x3'x4' W. cabinet, work light. (PM)

SPOOL GUN

MILLERMATIC WC-1 "SPOOLMATIC." (PM)

PLUS

SEARS 8" DBL. END PEDESTAL GRINDER. (PM)
BALDOR 6" DBL. END PEDESTAL GRINDER. (PM)
WISSOTA 6" DBL. END PEDESTAL GRINDER. (PM)
DAYTON 12" DISC. SANDER, 1-1/2 H.P. motor. (PM)
BRAINARD BANDING CART. (PM)

BINKS 2 GAL. PRESSURE PAINT POT, with Mdl. 2001 paint gun. (PM)

(2) BINKS 20 GAL. PAINT POTS. (PM)

MISC. ELEC. DISC. BOXES & BUSS DUCT—400 AMP CAP. (PM)

COLL-O-CRIMP H.D. HYD. HOSE CRIMPER. (PM)

WORKBENCHES, AIR & ELEC. PWR. TOOLS, DRILL PRESSES, WELDING TABLES, MTL. RACKS, BENCH VISES, ABRASIVE SAW, BELT SANDERS, RT. ANGLE GRINDERS, FINISHING SANDERS, AIR RIVETTERS, ST. NOSE GRINDERS, SHOP SUPPLIES, WELDING SUPPLIES, FASTENERS, ABRASIVES, HAND TOOLS, CLAMPS, TIME CLOCKS, FIRE EXTINGUISHERS, SHOP FURNITURE, TORCH RIGS, WELDING SCREENS, SHELVING.

OFFICE EQUIPMENT & FURNITURE (PM)


TELEDYNE ROTOLITE MDL. 2K42-42" AMMONIA BLUE-PRINT MACHINE.

3M BOND PAPER COPIER.


LANIER MDL. C/2 DICTATING SYSTEM, 4 recorders, dbl. cassette, s/n 211041.

IBM ELECTRONIC TYPEWRITER 75.


BLUEPRINT FILES, DRAFTING TABLE, EXECUTIVE DESK & CREDENZA, CONFERENCE TABLE & CHAIRS, SHELVES, FOLDING LEG TABLES, SECRETARIAL DESKS, FILING CABINETS, POSTAL SCALES, PAPER PUNCHES, CALCULATORS, ELEC. PENCIL SHARPENERS. ETC.




CHICAGO D&K 90 TON x 12' PRESS BRAKE W/HURCO BACKGAUGE



WYSONG 1/4"x10' MECHANICAL SHEAR



DI-ACRO 1/8"x10' HYDRAULIC SHEAR



STRIPPIT 40 TON FABRICATING PUNCH

MECHANICAL PRESS BRAKE

CHICAGO DREIS & KRUMP 90 TON x 12', new 1978, Mdl. 1012 L., Hurco Mdl. S4 "Autobend" programmable backgauge, 10'6" btn. housings, 8" throat, 3" stroke, 5" ram adj., air actuated clutch, 5 H.P. motor, s/n L-20148. (PM)

MECHANICAL SHEARS

WYSONG 1/4"x10', new 1978, Mdl. 1025, 48" cap. pwr. backgauge, dbl. 49" cap. manual front gauges, 9' L.H. squaring arm, 16 hold-downs, 55 S.P.M. max. spd., 15 H.P. motor, s/n P37-672. (PM)

WYSONG 10 g. x 52", 24" range backgauge, 36" L. front sq. arm, max. spd.: 60 S.T.M., 5 H.P. motor, S/N P58-124. (PM)

HYDRAULIC SHEARS

DI-ACRO 1/8"x10", new 1974, 13-3/4" gap, 25-1/2" cap. pwr. backgauge, squaring arm, 3 front suppt. arms, 10 H.P. motor, s/n 101874688. (PM)

HENRY 1/4"x4" cap., new 1976, 36" range manual back gauge, side mtd. aux. ram attachment, 25 H.P. hyd. system, will shear 1"x12" mild steel flat bar, egpd. with 14" W. x 20" L. infeed conveyor. (AM)

FABRICATING PUNCHES

W.A. WHITNEY 100 TON, new 1981, Mdl. 7130-60, 31" throat, 60"x72" nominal sheet size, pwr. clamping, duplicating attachment, 30 H.P. hyd. system. s/n 713-400-36388. (AM)

STRIPPIT SUPER 30/40 H.D., new 1977, 40 ton cap., hyd. operated, 5" dia. max. punch cap., 34" throat, 30"x80" nominal sheet size, punch/nibble cycles, duplicating attachment, (3) punch holders up to 5" cap., extensive tooling: rd., sq., oval punches, tlng. cabinets, s/n 06652677. (PM)

N.C. TURRET PUNCH

WIEDEMANN MDL. S-1528, W&S N.C. control, 15 ton cap., 28" throat, 20 punch pos., 26"x34" sheet cap., 1-1/2 H.P. motor, s/n 159. (PM)

PUNCH GRINDER

STRIPPIT, vert. spdl., swivelling wheel head, 5" dia. face wheel cap., 5" dia. 3 jaw chuck, 1/4 H.P. motor, used to sharpen Strippit punches P/N 85010-000. (PM)

PM AUCTION

TWO SALES TWO LOCATIONS ONE DAY

SALE SITE #1: (AM)


Thompson Boze Inc. 1733 Lauder Rd., Houston TX 9 A.M., TUESDAY, JULY 26

SALE SITE #2: (PM)

AAA Precision Fabricating 910 West 22nd St., Houston TX 2 P.M., TUESDAY, JULY 26

INSPECTION:


Monday, July 25, 9 A.M.-4 P.M. at Both Sale Sites and Morning of Sale




STRIPPIT PUNCH TOOLING



W&S WIEDEMANN 15 TON N.C. TURRET PUNCH



WHITNEY 100 TON FABRICATING PUNCH



HENRY 1/4"x4' HYDRAULIC SHEAR

DIRECTIONS

Sale Site #1: 9 A.M. • Tues., July 26

Thompson Boze Inc. 1733 Lauder Rd.

Houston, Texas

From Downtown Houston, take Highway 59 North to Lauder Road. Turn left [west] on Lauder and proceed approx. 3 miles, through Aldine Westfield light to Sale Site on the right.

Sale Site #2: 2 P.M. • Tues., July 26

AAA Precision Fabricating 910 West 22nd Street

Houston, Texas

whatsoever.

From Sale Site #1, go back to Highway 59 via Lauder Road. Go south on H59 to Loop 610. Exit Loop 610 West and proceed to Durham/North Shepherd exit. Turn left on Durham (south). Proceed to W. 22nd St. Turn right to Sale Site.

LODGING:

| Marriott-Brookhollow | [713] | 688-0100 |
|---|-------|----------|
| Marriott-International Airport | | |
| Hilton Hobby Airport, 8181 Airport Blvd | (713) | 645-3000 |

RENTAL CAR AGENCIES:

Avis....... 617-472-2146 Budget 800-527-0700 Hertz 800-654-3131 National 800-328-4567

TERMS AND CONDITIONS

Everything will be sold to the highest bidder or bidders for cash in accordance with the Auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK OR COMPANY CHECK WITH BANK LETTER OF AUTHORIZATION TO PLANT & MACHINERY, INC.

Here is an example of what your letter should be: [Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$______. This letter is good until August 26, 1988 1

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," "WITH ALL FAULTS" and "WITH REMOVAL AT BUYER'S RISK AND EXPENSE."

The auctioneer expressly disclaims on the part of the auctioneer as agent and the seller, any warranty as to fitness or usability of all the assets, and the buyer expressly waives any claim in respect to any possible future use of any asset purchased for any purpose

The buyer does hereby assume and does agree to indemnify and hold the auctioneer and seller harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers and electricians performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction.

Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.



TWO SALES • TWO LOCATIONS ONE DAY

(Please Note Starting Times & Locations)

SALE #1: Thompson Boze Inc., 1733 Lauder Rd., Houston, TX • 9 A.M. • July 26

SALE #2: AAA Precision Fabricating, 910 West 22nd St., Houston, TX 2 P.M. • July 26

INSPECTION: Monday, July 25, 9 A.M.-4 P.M. at Both Sale Sites and Morning of Sale



P.O. Box 24010 1717 East Loop, Suite 300 Houston, TX 77229



FIRST CLASS MAIL First Class U.S. Postage PAID Eugene, Oregon Permit No. 305





DATED MATERIAL — PLEASE DELIVER